



Towel Warmer Specialist Retail Price List (Euro)



15+

A minimum 15 year
quality assurance
guarantee

Issue 1

Welcome



MD035 stainless steel model pictured with chrome plated VL3 angled valves.

Contents

02 Welcome

- Contents
- Symbols and Product Information

03 Flow 25mm Chrome Rails

04 Flow Horizontal 25mm

05 Harmonique MD060 25mm

06 Matt Black MD001 25mm

07 Grey Sparkle & Matt White Textured MD001 25mm

08 Chube MD035 Polished Stainless Steel

09 Installation Variants

10 Valves & Accessories

11 Valves & Accessories

Symbols & Product Information



Mild Steel

High quality mild steel for closed/indirect hot water circuits, central heating systems and electrical adaptation.



Stainless Steel

High quality, recyclable stainless steel for any heating system and electrical adaptation.



15 year quality assurance guarantee

On Mild Steel products showing this symbol.



30 year quality assurance guarantee

On Stainless Steel products showing this symbol.

25 mm

25mm

25mm crossbars for superior heat output and appearance.



Heating and Electric

Dual Fuel options available.



Electric only

Electrical options available.



Heating only

Suitable only for closed/indirect hot water and central heating systems.



Heating & Hot Water

Suitable for all heating and hot water systems.


Stocked in Ireland

Flow 25mm



Pictured with VL3 angled valves.

The Flow range is a 25mm horizontal tube design towel warmer. Giving higher heat output and superior styling with its attractive smooth tops and rear air vents.



Rear Air Vent
Capped off smooth tops for aesthetic appeal and ease of installation.



Product Code	Dimensions (mm)			Bar Config	Pipe Centres	Electric element wattage	Output $\Delta T50^{\circ}C$ Watts/BTUs	Output $\Delta T60^{\circ}C$ BTUs	Prices € (inc VAT)
	H	W	D						
VOGFL08030CP	800	300	93-113	3-5-6	255	100	177 / 604	766	€133.50
VOGFL08040CP	800	400	93-113	3-5-6	355	125	226 / 771	978	€156.39
VOGFL08050CP	800	500	93-113	3-5-6	455	150	275 / 938	1189	€162.85
VOGFL08060CP	800	600	93-113	3-5-6	555	200	324 / 1105	1401	€181.56
VOGFL10050CP	1000	500	93-113	4-5-9	455	200	351 / 1198	1519	€207.41
VOGFL10060CP	1000	600	93-113	4-5-9	555	200	414 / 1413	1792	€226.27
VOGFL12030CP	1200	300	93-113	4-5-13	255	200	273 / 931	1181	€183.91
VOGFL12040CP	1200	400	93-113	4-5-13	355	200	350 / 1194	1514	€216.84
VOGFL12050CP	1200	500	93-113	4-5-13	455	300	428 / 1460	1851	€227.94
VOGFL12060CP	1200	600	93-113	4-5-13	555	400	505 / 1723	2185	€250.90
VOGFL15050CP	1500	500	93-113	4-5-7-12	455	300	534 / 1822	2310	€277.44
VOGFL15060CP	1500	600	93-113	4-5-7-12	555	400	631 / 2153	2730	€310.29
VOGFL18040CP	1800	400	93-113	4-5-12-13	355	400	521 / 1778	2255	€282.69
VOGFL18050CP	1800	500	93-113	4-5-12-13	455	600	638 / 2177	2760	€322.15
VOGFL18060CP	1800	600	93-113	4-5-12-13	555	600	754 / 2573	3263	€360.85

Supplement for Standard Electric: €276.01
 Supplement for Thermostatic Electric: €407.38
 Supplement for Dual Fuel: €190.40


Flow Horizontal 25mm

MS 15 25 mm C D E




Pictured with VL23 angled valves.


Giving higher heat output and superior styling with its smooth tops and rear air vents.



400mm
7 cross bars



500mm
9 cross bars



600mm
10 cross bars

Product Code	Dimensions (mm)			Bar config	Pipe centres	Electric element wattage	Output $\Delta T50^{\circ}\text{C}$ Watts/BTUs	Output $\Delta T60^{\circ}\text{C}$ BTUs	Prices € (inc VAT)
	H	W	D						
VOGFL040100CP	400	1000	93-113	3-4	955	100	200 / 682	865	€179.91
VOGFL050100CP	500	1000	93-113	3-6	955	125	256 / 873	1107	€203.38
VOGFL060100CP	600	1000	93-113	3-3-4	955	150	288 / 983	1246	€219.81

Supplement for Standard Electric: €276.01
 Supplement for Thermostatic Electric: €407.38
 Supplement for Dual Fuel: €190.40


Harmonique MD060 25mm

MS 15 25 mm C D E




Pictured with VL3 angled valves.


A perfect combination for heating and drying. This versatile product will suit any modern bathroom. With a white double panelled radiator as standard and 25mm chrome horizontal tubes.




1200 x 500mm
7 Sections



1200 x 600mm
10 Sections



1500 x 500mm
7 Sections



1500 x 600mm
10 Sections

Product Code	Dimensions (mm)			Bar config	Pipe centres	Electric element wattage	Output $\Delta T50^{\circ}C$ Watts/BTUs	Output $\Delta T60^{\circ}C$ BTUs	Prices € (inc VAT)
	H	W	D						
VOGMD060MS125CP	1200	500	107	3-3-3	464	300	834 / 2846	3609	€743.90
VOGMD060MS126CP	1200	600	107	3-3-3	564	400	1033 / 3525	4470	€805.90
VOGMD060MS155CP	1500	500	107	3-3-3-3	464	400	1145 / 3907	4954	€867.89
VOGMD060MS156CP	1500	600	107	3-3-3-3	564	400	1438 / 4906	6221	€934.31

Supplement for Standard Electric: €276.01
 Supplement for Thermostatic Electric: €407.38
 Supplement for Dual Fuel: €190.40


Matt Black (RAL 9004) MD001 25mm

MS 15 25 mm C D E


Brackets located on uprights to maximise space & ensure perfect colour match



Contemporary painted finishes in our popular 25mm horizontal tube multirail.



800 mm
14 Cross Bars



1200 mm
22 Cross Bars



1800 mm
34 Cross Bars

Product Code	Dimensions (mm)			Bar config	Pipe centres	Electric element wattage	Output $\Delta T50^{\circ}\text{C}$ Watts/BTUs	Output $\Delta T60^{\circ}\text{C}$ BTUs	Prices € (inc VAT)
	H	W	D						
VOGMD001MS85ZMB	800	500	93	3-5-6	455	150	420 / 1433	1817	€175.64
VOGMD001MS123ZMB	1200	300	93	4-5-13	255	200	424 / 1447	1835	€196.31
VOGMD001MS125ZMB	1200	500	93	4-5-13	455	300	663 / 2262	2868	€237.64
VOGMD001MS126ZMB	1200	600	93	4-5-13	555	400	783 / 2672	3388	€255.35
VOGMD001MS185ZMB	1800	500	93	4-5-12-13	455	600	969 / 3306	4192	€317.34

Supplement for Standard Electric: €276.01
 Supplement for Thermostatic Electric: €407.38
 Supplement for Dual Fuel: €190.40

Grey Sparkle & Matt White Textured MD001 25mm

MS 15 25 mm C D E


Brackets located on uprights to maximise space & ensure perfect colour match



Grey Sparkle

Matt White Textured

Both radiators above are pictured with matching VL3 angled valves.



800 mm
14 Cross Bars



1200 mm
22 Cross Bars



1800 mm
34 Cross Bars

Contemporary high lustre finishes in our popular 25mm horizontal tube multirail.

	Product Code	Dimensions (mm)			Bar config	Pipe centres	Electric element wattage	Output $\Delta T50^{\circ}\text{C}$ Watts/BTUs	Output $\Delta T60^{\circ}\text{C}$ BTUs	Prices € (inc VAT)
		H	W	D						
GREY SPARKLE	VOGMD001MS85ZGS	800	500	93	3-5-6	455	150	420 / 1433	1817	€175.64
	VOGMD001MS123ZGS	1200	300	93	4-5-13	255	200	424 / 1447	1835	€196.31
	VOGMD001MS125ZGS	1200	500	93	4-5-13	455	300	663 / 2262	2868	€237.64
	VOGMD001MS126ZGS	1200	600	93	4-5-13	555	400	783 / 2672	3388	€255.35
	VOGMD001MS185ZGS	1800	500	93	4-5-12-13	455	600	969 / 3306	4192	€317.34
Matt White Textured	VOGMD001MS85ZWS	800	500	93	3-5-6	455	150	420 / 1433	1817	€175.64
	VOGMD001MS123ZWS	1200	300	93	4-5-13	255	200	424 / 1447	1835	€196.31
	VOGMD001MS125ZWS	1200	500	93	4-5-13	455	300	663 / 2262	2868	€237.64
	VOGMD001MS126ZWS	1200	600	93	4-5-13	555	400	783 / 2672	3388	€255.35
	VOGMD001MS185ZWS	1800	500	93	4-5-12-13	455	600	969 / 3306	4192	€317.34

Supplement for Standard Electric: €276.01
 Supplement for Thermostatic Electric: €407.38
 Supplement for Dual Fuel: €190.40

Chube MD035 Polished Stainless Steel




Brackets located on uprights to maximise space & ensure perfect colour match


Stainless steel towel warmers are manufactured from recyclable materials, excellent for locating in areas of high humidity and can be installed on any hot water circuit

MD035 stainless steel model pictured with chrome plated VL3 angled valves

The fully rounded, polished stainless steel tube and rear air vent combines aesthetics with practicality.



800mm
12 Cross Bars



1200mm
18 Cross Bars



1600mm
24 Cross Bars

Product Code	Dimensions (mm)			Bar config	Pipe centres	Electric element wattage	Output $\Delta T50^{\circ}\text{C}$ Watts/BTUs	Output $\Delta T60^{\circ}\text{C}$ BTUs	Price € (inc VAT)
	H	W	D						
VOGMD035SS83PS	800	300	100	3-4-5	268	100	161 / 549	696	€374.90
VOGMD035SS84PS	800	400	100	3-4-5	368	100	197 / 672	852	€410.33
VOGMD035SS85PS	800	500	100	3-4-5	468	125	243 / 829	1051	€447.23
VOGMD035SS86PS	800	600	100	3-4-5	568	150	269 / 918	1164	€516.60
VOGMD035SS123PS	1200	300	100	3-4-5-6	268	125	240 / 819	1038	€553.50
VOGMD035SS124PS	1200	400	100	3-4-5-6	368	150	294 / 1003	1272	€594.83
VOGMD035SS125PS	1200	500	100	3-4-5-6	468	200	348 / 1187	1505	€643.54
VOGMD035SS126PS	1200	600	100	3-4-5-6	568	200	402 / 1372	1740	€751.28
VOGMD035SS163PS	1600	300	100	3-4-5-6-6	268	200	321 / 1095	1388	€807.37
VOGMD035SS164PS	1600	400	100	3-4-5-6-6	368	200	391 / 1334	1692	€909.22
VOGMD035SS165PS	1600	500	100	3-4-5-6-6	468	300	464 / 1583	2007	€991.87
VOGMD035SS166PS	1600	600	100	3-4-5-6-6	568	300	536 / 1829	2319	€1,090.76

Supplement for Standard Electric: €276.01
 Supplement for Thermostatic Electric: €407.38
 Supplement for Dual Fuel: €190.40

Installation Variants

Heating Only Option



Heating Only Option

A typical hot water installation on a central heating system.



Suitable for indirect (closed) central heating circuits only. It cannot be installed on an open circuit due to the product containing ferrous (steel) parts.



Electric Only Option



Electric Only Option

A typical all electric installation with standard element (wall pattress plate not included).

N.B. Element supplied in nickel finish.



*Dual Fuel Options



A hybrid installation whereby the unit can be operated in isolation electrically when the heating system is not in use.



***Attention:** When being operated in Hot Water mode the electric element **MUST NOT BE SWITCHED ON** because its safety mechanism will activate and prevent the element from working permanently.

***Attention:** For successful operation as an Electric Only unit please ensure that at least one valve has been closed off. Otherwise the warmed water within will escape via the rest of the system.

The elements are fitted on the right hand side as standard. They can be left hand mounted on request.

Valves & Accessories

A comprehensive collection of beautifully matching angled valves that connect the flow and return feeds discreetly through the wall. Also available in a straight valve option.

Matt Black



Arne Angled Radiator Valve VL3

VOGVL315STZMB Straight €69.37
VOGVL315APZMB Angled €69.37

Matt White Textured



Arne Angled Radiator Valve VL3

VOGVL315STZWS Straight €69.37
VOGVL315APZWS Angled €69.37

Grey Sparkle



Arne Angled Radiator Valve VL3

VOGVL315STZGS Straight €69.37
VOGVL315APZGS Angled €69.37



Arne Angled Radiator Valve VL3

Our most popular valve for modern designs. Neatly angled for a clean and unobtrusive installation.

VOGVL315APCP €69.37



Arne Thermostatic VL4

Controlling the heat of your towel rail or radiator thermostatically. Available in both straight or angled.

VOGVL415TRVSTCP Straight €107.75
VOGVL415TRVACP Angled €107.75



Combination Kit VL13

A combination kit of VL3 straight and angled valves for dual energy option, applicable for all multirail products.

VL013 15MMAP/ST-CP €85.61



Arne Corner Thermostatic VL24

Thermostatic version of our discreet corner valves.

VOGVL2415MMTRVACP Corner €123.98



Arne Corner VL23

A discreet contemporary valve that neatly aligns with your towel warmer.

VOGVL2315MMAPCP Corner €84.13



Conversion Tee AC3

AC3 conversion tee for dual energy radiators.

VOGAC3CP €48.71



Dual Fuel Valves VL15

Specially engineered for a more stylish presentation in Dual Fuel applications

VOGVL1515APCP Angled €70.85



Arne Straight Radiator Valve VL3

Also popular with modern designs for when it is necessary to pipe-up through the floor.

VOGVL315STCP €69.37



Standard IP55 Element (pattress plate not included)

A benchmark element to suit each size of product.



Thermostatic IPX5 Element

An electronic temperature sensor control.

VOGEE2EL125	125W Standard Element - IP55 Rated	€141.70
VOGEE2EL15	150W Standard Element - IP55 Rated	€143.17
VOGEE2EL2	200W Standard Element - IP55 Rated	€146.12
VOGEE2EL4	400W Standard Element - IP55 Rated	€149.08
VOGEE2EL6	600W Standard Element - IP55 Rated	€156.46

VOGEE0062CP	200W Heat Sensor Element Chrome	€250.92
VOGEE0063CP	300W Heat Sensor Element Chrome	€265.68
VOGEE0064CP	400W Heat Sensor Element Chrome	€276.01
VOGEE0066CP	600W Heat Sensor Element Chrome	€292.25



AC12 Voltage Regulator

A thoroughly stylish rheostat which allows for temperature control of electric rails, should it be deemed necessary.

VOGAC121GCP	Voltage Regulator 1 Gang - 75W - 400W Chrome	€85.61
VOGAC122GCP	Voltage Regulator 2 Gang - 150W - 1000W Chrome	€178.60



AC14 Pattress Plate

Housing the wires from the towel rail element if no external controller is required.

VOGAC14CP
€51.66



Bathquip

Unit 30
Westlink Industrial Estate
Kylemore Road
Ballyfermot
Dublin 10
D10 YX64
Ireland

Tel: 014603040
Tel: 00353-1-4603040

sales@bathquip.ie
www.bathquip.ie



EN442.1 & 2

